

NightSearcher 2022

Lighting The Future



NightSearcher

Established in 1989, NightSearcher continues to push the boundaries of lighting technology in its quest to design and manufacture the best portable rechargeable lighting systems on the market. Offering unsurpassed quality combined with fully supported reliability, our diverse range has something to offer for a variety of professional applications and environments. Utilising the latest in Lithium rechargeable battery technology, we offer maximum runtimes without the need for multiple batteries.



By any measure, 30 years is a long time in business but we feel like the journey has only just begun. As UK manufacturers we are always learning and will continue to embrace the latest engineering and innovation to make our products even better. The best product ideas and suggestions often come from our customers - please continue to talk to us, we will always listen! Nightsearcher is also invested to play its part in the global push to address concerns for the climate and environment. Our "Think Zero" and "Think Green" ethos highlights the benefits of portable rechargeable technology and the vital role it has and will play for years to come. Zero emissions, Zero cables, Zero noise all encompass our product range in the push for a greener, safer environment for us all.

We are in it for the long run and we thank all of our loyal customers for their continued ongoing support. Nightsearcher will continue to light the future!

Colin Howard Managing Director

New:



Galaxy Pro 6K - P8



MegaStar 20K Kit P20



Tower Pro 2K & 5K P22



Galaxy 12000 P24



Magnum 3000 P62



Explorer Mini



Explorer XPL



Zoom 1100RX



Light Wave 520


NightSearcher's professional products are carefully designed and manufactured to the highest standards to ensure the reliability and durability our customers need. This is why we offer a 3-year standard warranty on all manufacturing defects and 1-year warranty on all rechargeable batteries from the date of purchase.
*The warranty can be extended to 5 years that covers defects in manufacturing on all NightSearcher products.

Visit https://nightsearcher.co.uk/en/warranty.html to find out more.

Contents

Contact us to receive these new Catalogues:

SAFATEX **Intrinsically Safe Atex Lights**



NexSun **Solar Lighting Solutions**



Rechargeable Floodlights and Work Lights P4-31



Site Lights



AC Floodlights and Security Lights P38-41



Searchlights P42-57



Flashlights P58-69



Forensic Lighting P70-71



Head Torches P72-85



Road Hazard Warning Lights P86-95



Automotive Lights P96-109

All information is correct at time of press, we reserve the right to alter product specifications at any time and for any reason without liability Product illustrations and effects may be simulated. Errors and omissions excepted.



Solaris Pro

$oldsymbol{ oldsymbol{ rac{ }{ } } } extsf{NightSearcher Rechargeable Floodligh} }$

The programmable LED floodlight with a 48 hours runtime!



	Solaris Pro	Solaris Pro-X
31/2	16,000	16,000
	Up to 500m	Up to 500m
()	2.25-24hrs	4.5-48hrs
MODE	Boost (Search + Flood)/S	earch/Flood
Li-ion	14.8V 18.2Ah, 269.36Wh	14.8V 36.4Ah, 538.72Wh
	6hrs	8hrs
,,*	IP65	IP65
	517x155x220mm	517x155x220mm
	7kg	8.5kg
CODE	NSSOLARISPRO	NSSOLARISPRO-X

Features:

- High powered LEDs
- Lightweight and portable
- Fast deployment
- Extension pole extends to 1.85m with built in cable to avoid trip hazards
- Built in stability legs for use on uneven ground
- 180° Swivel and tilting light head
- Lightweight Lithium-Ion batteries





Scan for multi language information

Supplied with: AC charger and shoulder strap
Optional Accessories: Vehicle charger: CHIC16-8V4A-12-30V | Stability pegs: SPTRIPODPEGS | Folding solar panel charger: SPSOLARPANEL





Lightweight for easy transportation

Compact size for storage

Solaris Pro

2 Battery options available

Dual Optics
Spot and Wide Beam

Flood

Spot



► YouTube

Scan to see this product in action

Fold out stability feet

Optional stability ground pegs for use on a slope or uneven terrain

4 Angle adjustment



LCD programmable display For selection of operation modes and programming a runtime of up to for 48 hours




Light mode & runtime digital selector





Battery status by colour





Water resistant IP54

New Galaxy Pro 6K

6000 Lumens rechargeable floodlight, ideal for all environments







Fol	ds f	lat	to	carr
or	eas	y s	tor	age

	Galaxy Pro
31/5	6000
	Up to 60m
(2.5-60hrs
MODE	High/Medium/Low/Dimmable
Li-ion	7.4V 13.2Ah, 97.68Wh
	8hrs
****	IP54
	310x350x285mm
<u></u>	1.5kg
CODE	NSGALAXYPRO-6K
	CAT/PAD: 0111/111966

- Improved electronics for enhanced performance
- Rechargeable or powered directly from mains charger
- Drop tested from 2.5m
- Designed for use in harsh, industrial locations
- Robust housing made from the toughest composite materials
- Charger storage compartment
- Lightweight only 1.5kg
- IK07 Impact Protection





Scan for multi language information

Battery status indication

Supplied with: AC mains charger

Optional Accessories: 2m tripod: SPTRIPODSS2M | 3.5m tripod: SPTRIPOD3.5M | T-Bar Bracket: SPGALAXYTWINTBAR Set of 3 magnetic mounts: SPGALAXYPROMAG | Single magnet mount: SPGALAXYMAGMOUNT | Vehicle charger: CHIC8.4-L-ION





Hi-Vis reflective feet







Scan QR code to see this product in action

Galaxy Pro 6K Accessories

Tripods and magnetic mounts

2m Stainless steel 1.7kg

> Collapsed 0.8m extends

to 2m

3.5m Aluminium 4kg



Collapsed 1.45m extends to 3.5m

Galaxy Pro Twin Kits:

Quick release tripod mount

2 x Galaxy Pro 6K 1 x T-Bar Bracket 1 x 3.5m Aluminium Tripod

Product Code: NSGALAXY6K-3.5KIT

St Code: NSGALAX for-5.5r

OR

2 x Galaxy Pro 6K 1 x T-Bar Bracket 1 x 2m Stainless Steel Tripod

Product Code: NSGALAXY6K-SSKIT

Product Code: SPTRIPOD3.5M

Optional magnetic mounts - 2 Types available



Product Code: SPTRIPODSS2M

Single large centre magnet for narrow area mounting



Set of 3 magnets for wider area Stability mounting



Red and various colours available By special order



Perfect for night-time Outdoor Sports:

- Football
- Rugby
- Cricket
- Tennis
- Netball
- Fitness Boot Camp
- Equestrian and more...





Tripod

Fits in the boot of your car



Optional 7kg (filled) Hi-Vis sand bags for added stability on hard surface SPSANDBAG

SportStar Features:

- IP65 waterproof polyethylene case
- 1 minute setup
- All kit fits in waterproof bag
- Illuminating remote areas where lighting is not adequate
- Durable all-weather construction
- Light and easy to carry with shoulder strap only 9.5kg
- Additional power packs are available for longer runtimes
- Supplied with 3 stability ground pegs





Scan for multi language information

Optional Accessories:

20,000

2-16hrs

8hrs

9.5kg

(1)

MODE

CODE

Up to 50m

LLi-ion 14.8V 18Ah, 266.40Wh

99x20x20cm

NSSPORTSTARKIT

High/Medium/Low/Eco

Additional 18Ah Power Packs for longer training sessions: PP14.8X18.2PE | Vehicle charger: CHIC16.8V4A-12/30B
Hi-Vis Sand Bags for added stability on hard surfaces: SPSANDBAG | Carry Bag: SPSPORTSSTARBAG

SportStar

No Power, No Problem with this 20,000 lumen rechargeable Sports Light



- IP65 Rated
- Durable polyethylene battery case
- Hook-on tripod bracket
- Battery status/charging indicators

Red/Amber/Green



Floodlight can be operated from ground level switch

Hook-on tripod bracket



Solaris Duo

Most powerful portable area light in the world



Solaris Duo

40,000 - 2 x 20,000 heads **Up to 100m** (1) 3-24hrs MODE High/Medium/Low /Eco

★ Li-ion 50Ah, 754.80Wh

7hrs 20min

280x380x570mm

19.7kg

NSSOLARISDUO20K-LI-ION-50 CODE CAT/PAD: 0111/112259

Features:

- High powered LEDs
- Portable and fast deployment
- 2 telescopic extension poles reaching up to 1.9m
- Swivel and tilting heads
- Built in stability legs for use on uneven ground
- Sturdy moulded insert to store parts inside
- Housed in highly robust IP67 polycarbonate case
- Battery status indicator
- Sturdy and stackable





Scan for multi language information

Optional Accessories: Solar panel charger: SPSOLARPANEL

5 Way multi charger Li-ion 16.8V: CH5WAYLI-ION, CAT/PAD: 0111/114510 | Vehicle charger: CHIC16.8V4A-12/30V Mains charger: CH16.8-8A-LI-ION



Battery status indicator High: Green I Medium: Amber I Low: Red






Ideal for scenes of crime lighting

- Light head
- Tripod
- Battery pack

Kit includes:

- Weatherproof bag
- Mains charger
- Shoulder strap



75 x 30 x 15cm, 9.5kg



MegaStar Kit 20,000 Up to 50m (1) 2-8hrs MODE High/Medium/Low/Eco Li-ion 14.8V 18Ah, 266.40Wh 7hrs 20min IP65 75x30x15mm 9.5Kg **NSMEGASTARKIT** CODE

Features:

- IP65 waterproof polyethylene case
- 1 minute setup
- All kit fits in Waterproof bag
- Illuminating remote areas where lighting is not adequate
- Durable all-weather constructions
- Light and easy to carry with shoulder strap
- Additional power packs are available for longer runtimes





Scan for multi language information

Optional Accessories:

Additional power packs for longer running times: PP14.8X18.2PE | Stability ground pegs: SPTRIPODPEGS | Hi-Vis sand bags: SPSANDBAG

New MegaStar 20K Kit

Rechargeable floodlight for remote locations when there is no power



power pack for longer runtimes

Product Code: PP14.8X18.2PE



Stability ground pegs

for added stability on soft ground Product Code: SPTRIPODPEGS



- IP65 Rated
- Durable polyethylene battery case
- Hook-on tripod bracket
- Battery status/charging indicators

Red/Amber/Green



 Light modes operated from battery pack



Hi-Vis sand bags, (filled) 7kg for added stability on hard surfaces **Product Code: SPSANDBAG**

Tower Pro 2K

- 2000 lumens / 30m beam

- Portable, collapsible design

- Runtime 1.5-4.5 hours

- Detachable light head

- Quick and easy to setup

Tower Pro 5K

- 5000 lumens / 90m beam
- Runtime 1-5 hours
- Portable, collapsible design
- Quick and easy to setup

Features: • Quick an

- Quick and easy setup
- Multi-angle rotational light
- Can be Powered Direct from AC Charger
 0.66m when folded / tripod extends to 1.5m
- Detachable light head with hanging hook
- and magnetic base (2K model only)
- Robust housing
- Switch & brightness control panel
- Warm white and cool white light modes
- Battery charging indicator

Both models supplied in a carry bag



Reversible ground spikes

	Tower Pro 2K
31/2	2000
	Up to 30m
O	1.5-4.5hrs
MODE	High/Medium/Low
Li-ion	7.4V 2000mAh, 14.8Wh
	4hrs
****	IPX4
上	80x80x665mm
	1.8kg
CODE	NSTOWERPRO-2K

Detachable light head

Magnetic Base Status indicators

Control panel

Tower Pro 5K

5000

Up to 90m

1-5hrs

MODE High/Medium/Low

Li-ion 7.4V 4000mAh, 29.6Wh

6hrs

IPX4

122x160x890mm

4.5kg

CODE NSTOWERPRO-5K

Supplied with: AC mains charger and carry bag





Built-in cable and charger wrapping system for tidy storage



Professional and powerful slimline design

- 12,000 lumens / 110m beam
- Runtime 2-9 hours
- Rechargeable, can be powered directly from AC Charger







Built in carry handle/stand



Lights can be angled

Tripod mountable:

Optional 3.5m tripod: SPTRIPOD3.5M or 2m Stainless tripod: SPTRIPODSS2M

Galaxy 12000

31,5	12,000	
	Up to 1	

110m

(1) 2-9hrs

MODE High/Medium/Low Li-ion 11.1V 5.2Ah, 57.72Wh

3hrs

1,0,0, IP64 280x210x138mm

2.63kg CODE NSGALAXY12000

Scan for multi language information



- Can be powered directly from AC charger
- Robust housing made from the toughest composite materials
- 180° Swivel head
- Tripod mountable
- Battery status + charging indicator
- IK07 Shock proof




Control panel including thermo sensor **Battery status indicator**



Can be powered directly from AC charger

WorkStar Connect

Designed to operate from power tool batteries



- 2500 lumens / 25m beam - Runtime 2-16 hours
- 4 Power tool adapters
 - Ultra powerful magnetic feet

	WorkStar Connect
31/2	2500
	Up to 25m
O	2-16hrs (18-21V) battery
MODE	High/Medium/Low
****	IP54
上	225x90x340mm
<u> </u>	1kg

Supplied with: 4 x Power tool adaptors

CODE NSWORKSTARCONNECT

Features:

- Operates from power tool batteries
- Compact, fold flat design
- Powerful magnetic base
- Toughened glass lens
- Adjustable stand with hanging hook
- IK07 Shock proof



Tripod mountable: 2m Stainless Tripod: SPTRIPODSS2M

Scan for multi language information





Accepts 14-21V batteries: Black & Decker, Bosch, Makita, Stanley, Dewalt, Porter and Milwaukee



USB power bank charge your device on the go!

stand

- Rechargeable

Runtime 3-7 hours

- 1200 lumens / 50m beam

- Robust edge protection

· Ultra powerful magnetic handle











carry handle

180 degree folding carry handle/stand







180° Degree foldable stand/handle



Magnetic mounting bracket

Galaxy 1200

31/2	1200

Up to 50m

(3-7hrs

MODE High/Low/Flashing Li-ion 3.7V 4400mAh, 16.28Wh

9hrs

IP54 168x127x55mm

491g

NSGALAXY1200

Supplied with: USB charging cable

Features:

- Compact, fold flat design
- · Heavy duty construction, IKO7 shock proof
- USB rechargeable
- Rechargeable lithium battery
- Battery status + charging indicator
- · Power bank to charge your mobile



Scan for multi language information



SPSCAFFOLDBRACKET



2m Stainless Tripod: SPTRIPODSS2M

Galaxy Star 2800 Up to 90m (1) 1.6-11hrs MODE 100%/70%/45%/35%/20% Li-ion 7.4V 2200mAh, 8.14Wh 3.5hrs IP54 170x170x48mm 700g

NSGALAXYSTAR

Features:

Optional Accessories: Magnetic mount: SPGALAXYSTARMAG | 12/24V Vehicle charger: CHIC3.7-LI-ION

- Robust edge protection
- Compact, fold flat design
- IKO7 Shock proof
- USB rechargeable
- Built-in aluminium heat sink
- · Rechargeable lithium battery



Scan for multi language information





2m Stainless Tripod: SPTRIPODSS2M





Galaxy 1000

- 1000 lumens / 10m beam
- Runtime 1.4-3.2 hours
- Lightweight compact design
- Folds flat for storage

Galaxy 2000

- 2000 lumens / 20m beam
- Runtime 2-4 hours
- Lightweight compact design
- Robust metal back

		Galaxy 1000	Galaxy 2000
	31/2	1000	2000
		Up to 10m	Up to 20m
	()	1.4-3.2hrs	2-4hrs
		High/Low	High/Low
		3.7V 4000mAh	7.4V 4800mAh
		4hrs	8hrs
	****	IP54	IP54
	J	193x230x63mm	193x230x63mm
	<u> </u>	539g	911g
	CODE	NSGALAYV1000	NSGALAXV2000

Features:

- High impact ABS housing
- Shatterproof polycarbonate lens
- Carry handle/Floor standing
- Rechargeable lithium battery
- Overcharge and discharge protection
- 360° Degree handle and stand




Scan for multi language information

Supplied with: USB Charging cable (Galaxy 1000), 230V AC + vehicle charger (Galaxy 2000) Optional Accessories: UK or EU adaptor: CH-USB-UK/EU | 12/24V Vehicle charger: CHIC3.7-LI-ION



2m Stainless Tripod:



Battery charging indicator



Scan QR code to see this

Robust metal back (Galaxy 2000)



50 Lights/500 metres

2KVA

30 Lights/300 metres



LinkStar Light Heads

Light heads can be purchased separately

30W Product code: NSLINKSTAR30 50W Product code: NSLINKSTAR50 100W Product code: NSLINKSTAR100



Scan for multi language information



SPSCAFFOLDBRACKET



with 2.2m tripod stand

Slim Design

Choose 110V or 240V:

Linkable floodlights

Choose:

Single or double light heads

Choose Light Output:

- 30W 3,600 lumens
- 50W 6,000 lumens
- 100W 12,000 lumens

Supplied with 2.2m swing legged tripod stand and T-Bar Bracket (Twin heads)

LinkStar Kits

	30W	50W	100W
1x head	3,600	6,000	12,000
2 x heads	7,200	12,000	24,000
MODE	High	High	High
1111	IP65	IP65	IP65
CODE	NSLINKSTAR30/50/100-KIT NSLINKSTAR30/50/100-TWIN-KIT		

Supplied with: 2.2m swing legged tripod stand and T-Bar Bracket (Twin heads)

- 110V or 240V Linkable Floodlights
- Strong die-cast aluminium casing with stainless steel fitting
- Designed for industrial applications
- Toughened glass lens



Optional 14 Metre extension lead: SPCABLE14M

Festoon Lights

22 Metres, fully encapsulated festoon kit

Lunar Star

The ultimate 360 degree work light



22 Metres 2.0mm yellow arctic grade cable with 16A 110V CEE plug

- 660 lumens per lamp

- Indoor and outdoor use

- Energy efficient

or link lights together

Tripod mountable: 3.5m Tripod: SPTRIPOD3.5m

	Festoon Lights
31,5	660 per lamp
AC VOLTAGE	110V AC 16A
MODE	High
*4*4*4	IP65
	22 metres
	2.14kg
CODE	NSFESTOON22M8W

yellow arctic grade cable with 16A 110V CEE Plug

Features:

Highly robust polycarbonate lenses and body

Handy loops for fixing with cable ties.

- 10 x 660 lumens per kit
- 22 Metres yellow arctic grade cable
- Lamp holders spaced every 2 metres for even light distribution
- IP65 Rated lights / IP44 Rated plug
- Low heat output Saves 80% electrical power
- Tough rubberised mesh guards protect the lamps
- Fitted with 16A 110V CEE Plug
- Multiple festoons can be linked to form a longer light chain via a junction box
- · Fully insulated for indoor and

Optional 14 Metre extension lead: SPCABLE14M

	LunaStar
31/2	4000
AC VOLTAGE	110V AC
MODE	High
1,1,1	IP44
上	250x125x120mm
	2.5g
CODE	NSLUNARSTAR50

Supplied with: Supplied with 5 metre H05VV-F cable

Features:

- 110V AC 50/60Hz
- Two output sockets for connecting power tools and linking lights together
- Robust high impact polycarbonate housing
- Can be used as a floor light, hung by the hanging hook or mounted on a tripod
- Built in cable storage
- Ideal for Industrial, construction applications



Scan for multi language information

Also available in 50 Metres

Supplied with: 22 Metre 2 x 75mm





Scan for multi language information




Optional scaffold bracket SPSCAFFOLDBRACKET

- required before storage
- Designed for industrial applications
- Toughened glass lens
- 0.5 Metre cable
- High performance heat sink

Features:

- IP65 Rating
- Tough aluminium housing & tempered glass
- Slimline compact design
- Anti glare cover
- 6000K cool white colour temperature
- No heat
- PIR models lights available
- Supplied with 30cm cable
- Adjustable settings:
- Lux, Time and Sens (PIR models)



Angled bracket gives easy access to secure onto wall

Perfect for home and security related applications **Designed for fast + simple installation**

2 ways to connect to mains ac supply: **Directly into internal terminal block**

With cable provided into a suitable rated junction box



		10W	20W	30W
	312	800	2400	4000
_	AC VOLTAGE	220-240V	220-240V	220-240V
		10m	20m	30m
	1,000	IP65	IP65	IP65
	上	113.4x127.9x52mm	147.6x166.3x56.3mm	166.8x188x56.3mm
		334g	555g	730g
	CODE	NSFASTSTAR10 NSFASTSTAR10PIR	NSFASTSTAR30 NSFASTSTAR30PIR	NSFASTSTAR50 NSFASTSTAR50PIR



language information

Fast Star

Slim design LED security light - Fast and easy installation

- Up to 4000 lumens / 30m beam
- Angled bracket gives easy access





Fast Star with sensor 3 Models available: 10W, 30W, 50W









Adjustable settings:

- Lux
- Time
- Sens



Wide angled flood beam

	HawkStar	HawkStar-X
31/2	2500	4200
	Up to 400m	Up to 600m
U	3.5-7.5hrs	4.5-9.45hrs
MODE	Narrow/Wide/Boost/Dim	mable
Li-ion	7.4V 6.6Ah, 48.83Wh	7.4V 10.2Ah, 75.48Wh
	6.5hrs	8hrs
****	IP65	IP65
上	250x125x120mm	250x125x120mm
<u> </u>	1kg	1.1kg
CODE	NSHAWKSTAR	NSHAWKSTAR-X

Supplied with: Charging bracket and vehicle charger
Optional Accessories: Shoulder strap: SPHAWKSTARSTRAP
AC Charger: CH-GALAXYPRO-UK/EU/US/AU

Features:

- Wide angle flood or narrow angle search beam
- Multiple brightness levels and dimmable
- Rechargeable lithium battery
- 9 Light modes with up to 30 hours operation
- Fits securely in charging bracket Crash tested at 70MPH (112KPH)
- Battery status indicators
- Rubberised handle for comfortable non slip grip
- Anti slip rubberised base for stability







Charge and go

HawkStar and HawkStar X

Searchlight and work light in one



Dual Optics Beams:


Wide Spot ReflectorOptic Flood Beam






Scan to see this product in action











2-in-1 Searchlight and floodlight

Wide Angled Flood Beam

	ProStar	ProStar Lite
31/2	10,000	10,000
	Up to 1200m	Up to 1200m
O	2-25hrs	1.5-18hrs
MODE	MODE Narrow/Wide/Boost/Dimmable	
★ Li-ion	14.8V 10.2Ah, 150.96Wh	14.8V 7.8Ah, 115.44Wh
	6hrs	6hrs
1,1,1,1	IP65	IP65
上	280x180x120mm	280x180x120mm
_	1.8kg	1.5kg
CODE	NSPROSTAR	NSPROSTAR-LITE

strength + stability

Long Distance Search Beam

- Wide angle flood or long distance search beam
- Multiple brightness levels and dimmable
- Rechargeable lithium battery
- 9 Light modes with up to 25 hours operation
- Battery status and charging indicator
- Rubberised handle for comfortable non slip grip
- · Anti slip rubberised base with built in stability
- Comfortable shoulder strap





Scan for multi language information

Supplied with: AC adaptor, charging base and shoulder strap Optional Accessories: Vehicle charger: CHIC16.82A-LI-ION | Folding solar panel charger: SPSOLARPANEL

Rubberised bezel for Rubberised handle impact protection for comfortable Robust Wide Flood beam non slip grip Narrow Search beam Wall mountable charging base Anti slip base to give added

ProStar Lite and ProStar



Dual Optics Beams:

- Wide Spot Reflector
- Optic Flood Beam



► YouTube Scan to see this product in action





31/2	550
	Up to 600m
<u>(</u>	3-15hrs
MODE	High/Low/Flashing
Li-ion	3.7V 4500mAh, 16.65Wh
	10hrs
****	IP54
<u>_</u>	193x117x132mm
<u> </u>	650g

NSTRIO550Y (Yellow)

NSTRIO550 (Grey)

CODE

Features:

- Lightweight design
- Rechargeable lithium battery
- Tough durable polycarbonate lens
- Water and shock resistant
- USB power bank charge your device on the go!
- Can be mounted on walls or in vehicle
- Battery charging indicator



Scan for multi language information

Supplied with: Wall mount, USB cable, USB 12V-24V car charger, shoulder strap, AC USB mains adaptor

Emergency function:

Automatically illuminates in the event of a power cut

USB power bank

- charge your device on the go!







Scan to see this product in action



- 550 Lumens / 600m beam

- Tough + durable construction

- Runtime 3-15 hours - Lightweight design

Trio-550

Most popular rechargeable hand lamp



	Panther XHP-X	
31/2	1800	
	Up to 1000m	
()	3-8hrs	
MODE	High/Low	
★ Li-ion	7.4V 4.4Ah, 32.56Wh	
	9hrs	
****	IP54	
J .	260x150x180mm	
_	1kg	
CODE	NSPANTHERXHP-X	

Features:

The searchlight chosen by professionals

- 1800 Lumens with long distance 1000m beam
- Lightweight design
- Rechargeable lithium battery
- Robust polyethylene construction
- Virtually unbreakable casing
- Unique deep dish reflector
- Adjustable stand
- Battery charging indicator





Scan for multi language information

Supplied with: AC charger, adjustable stand and shoulder strap

Optional Accessories: Vehicle/wall mounting bracket: SPPANBRACKET, Vehicle charger: CHIC8.4-LI-ION



Searchlight 1600

Amber flashing emergency mode - 120 hours runtime!



	Searchlight 1600
31/2	1600
	Up to 1000m
<u>(</u>	3-120hrs
MODE	High/Amber flashing
Li-ion	7.4V 4400mAh, 32.56Wh
	6hrs
****	IP44
<u></u>	226x165x179mm
_	1.03kg
CODE	NSSL1600

Supplied with: AC Charger and vehicle charger

Features:

- 1600 Lumens with long distance 1000m beam
- Rechargeable lithium battery
- Deep-dish reflector giving the maximum distance-to-lumen ratio for a bright spot beam
- 3-position adjustable handle
- Rubberised handle for comfortable grip
- Robust polycarbonate construction
- Battery status indicator



Scan for multi language information

Supplied with: AC Charger and vehicle charger

Searchlight 900

High/Low/Flashing

123x158x170mm

3.7V 2400mAh, 8.88Wh

Up to 500m

1.5-5hrs

900

7hrs

530g NSSL900

(1)

★ ILi-ion

Searchlight 900

Deep-dish reflector giving maximum distance-to-lumen ratio for a bright spot beam



Features:

- 900 Lumens with 500m beam
- Rechargeable lithium battery
- Adjustable stand
- USB power bank charge your device on the go!
- Storage for charging cable
- Robust polypropylene plastic housing
- Battery status indicator



Scan for multi language information

4

Ultra Lightweight and Highly Visible

- 450 Lumens / 500m beam
- Runtime 4-12 hours
- Highly visible green housing
- Robust polypropylene plastic housing





USB Power bank facility to charge your phone/tablet



- 1300 Lumens with long distance targeted 750m beam
- Rechargeable lithium battery
- Unique deep dish reflector
- Rubberised handle for comfortable grip
- Robust polycarbonate construction



Scan for multi language information

	SoloStar
31/2	450
	Up to 500m
<u>(</u>	4-12hrs
MODE	High/Low
★ ILi-ion	3.7V 4000mAh
	12hrs
****	IP44
上	209x133x125mm
<u> </u>	400g
CODE	NSSOLOSTAR

Supplied with: Supplied with: AC charger and vehicle charger Counter top display are also available

Features:

- 450 Lumens with 500m beam
- Rechargeable lithium battery
- Powerbank can charge your phone
- Robust polypropylene plastic housing
- Battery charging indicator
- Ideal for outdoor adventures or professional use in horticultural and construction sectors







Scan for multi language information



Magnum 11600 and Magnum 1100

Magnum 11600 11,600 Up to 525m (1) 3-54hrs MODE Boost/High/Medium/Low/Eco/Flashing Li-ion 7.4V 7800mAh, 57.72Wh 9hrs **** IP67 273x95mm ø 1.235kg NSMAGNUM11600 CODE

Supplied with: Mains charger, shoulder strap and carry case



Scan for multi language information

- 11600 Lumens with 525m wide flood beam
- Rechargeable lithium battery
- Knurled body for secure grip
- Type III hard anodised aluminium housing
- Shoulder strap for carrying and hands-free use
- 4 x Ultra bright LEDs
- IKO7 Shock proof



Battery Status indicator

Rotational light mode dial and transportation lock



	Magnum 1100
31/2	
3.5	1100
	Up to 1100m
<u>(</u>	1.5-26hrs
MODE	Boost/High/Medium/Low/Flashing
★ Li-ion	7.4V 2600mAh, 19.24Wh
	6hrs
****	IP67
】	265x90mm ø
_	835g
CODE	NSMAGNUM1100

Supplied with: Mains charger, shoulder strap and carry case



Scan for multi language information

Features:

- 1100 Lumens with 1110m long distance spot beam
- Rechargeable lithium battery
- Deep dish parabolic reflector
- Ideal for searching and lighting up a precise targets
- Knurled body for secure grip
- Type III hard anodised aluminium housing
- Shoulder strap for carrying and hands-free use
- IKO7 Shock proof



Battery Status indicator

Transportation switch lock



Designed for wide angled searching

Magnum 1100

- 1100 Lumens / 1100m beam
- Runtime 1.5-26 hours
- Longest distance spot beam
- Aircraft grade aluminium



Rugged and reliable, combined with high performance

	Magnum 3000
31/2	3000
	Up to 500m
(U	1.5-25hrs
MODE	Boost/High/Medium/Low/Flashing
★ Li-ion	3.7V 5000mAh, 15Wh
	6hrs
****	IP67
」	62x172mm ø
<u> </u>	440g
CODE	NSMAGNUM3000

Features:

- 3000 Lumens with 500m beam
- Rechargeable lithium battery
- IP67 Waterproof
- · Heavy duty wrist strap
- Knurled body for secure grip
- Type III hard anodised aluminium housing
- IKO7 Shock proof



Carry case



Scan for multi language information

Supplied with: Wrist strap, Li-ion battery, AC mains charger and carry case



	Mini Magnum
31/2	2000
	Up to 400m
()	2-57hrs
MODE	Boost/High/Medium/Low/Flashing
★ Li-ion	3.7V 5000mAh, 18.5Wh
	6hrs
*4*4*	IP68
上	158x50mm ø
<u> </u>	316g
CODE	NSMINI-MAGNUM

Features:

- 2000 Lumens with 400m beam
- High capacity 5000mAh Lithium-lon battery
- IP68 Waterproof
- Heavy duty wrist strap
- Knurled body for secure grip
- Type III hard anodised aluminium housing
- IKO7 Shock proof



Supplied with: USB rechargeable Li-ion battery, charging cable and wrist strap Optional Accessories: Spare Li-ion battery: BA18650-USB, No carry case is provided



Scan for more multi language information

Magnum 3000 and Mini Magnum

New Magnum 3000

- 3000 Lumens / 500m beam
- Runtime 1.5-25 hours
- Aircraft grade aluminium
- Transportation switch lock



High performance from a compact design

	Explorer Mini
31/2	400
	Up to 125m
O	1.5-14hrs
MODE	High/Medium/Low/Flashing
★ Li-ion	3.7V 750mAh, 2.7Wh
	2hrs
上	119x25mm ø
<u> </u>	85g
CODE	NSEXPLORERMINI

Supplied with: Type C USB charging cable **Optional Accessories: Vehicle Charger: CHIC3.7-LI-ION**



Scan for multi language information

Features:

- Compact size 400 Lumens with 125m beam
- Rechargeable lithium battery
- Type III hard anodised aluminium housing
- Knurled body for secure grip
- USB Rechargeable
- IKO7 Shock proof



Battery status indicator



Charging socket protector



	Explorer 1000
31/2	1000
	Up to 600m
()	2.5-50hrs
MODE	High/Medium/Low/Eco/Stobe/SOS
★ Li-ion	3.7V 2600mAh, 9.62Wh
	6hrs
****	IPX7
上	165x35mm ø
_	211g
CODE	NSEXPLORER1000

Supplied with: USB Charging cable Optional Accessories: Vehicle charger: CHIC3.7-LI-ION



Scan for multi language information

Features:

- 1000 Lumens with 600m beam
- Ultra lightweight design
- Rechargeable lithium battery
- Powerful long spot beam
- 2 hidden light modes: Strobe/SOS
- Type III hard anodised aluminium housing
- Knurled body for secure grip
- USB Rechargeable
- 2 switches Tail cap tactical and body
- IKO7 Shock proof





Through switch battery status + charging indicator

Explorer Mini and Explorer 1000



New Explorer XPL

Wall or vehicle mounted rechargeable flashlight



KeyStar

Searchlight performance on your keychain



Explorer XPL 1100 600m (1) 1-12hrs MODE High/Low/Flashing/SOS **★** ILi-ion 3.7V 2200mAh, 8.14Wh 6hrs 9,010 IP65 120x190x70mm 280g

NSEXPLORER-XPL

Supplied with

for signalling

Features:

- 1100 Lumens with 600m beam
- Rechargeable lithium battery
- Type III hard anodised aluminium housing
- Powerful long spot beam
- Tail cap switch designed for tactical use
- Battery charging indicator
- Knurled body for secure grip
- IKO7 Shock proof
- · Ideal for domestic, security and emergency use

Supplied with a charging station - convenient and always ready fully charged



Scan for multi language information

	KeyStar
31/2	300
	110m
<u>(</u>	17hrs
MODE	High/Dimmable
★ ILi-ion	3.7V 600mAh, 2.22Wh
	4hrs
****	IPX7
<u></u>	67x34x135mm
	29g
CODE	NSKEYSTAR

Features:

- Compact and powerful 300 Lumens with 110m beam Lightweight and durable
- Easily fits in your backpack, handbag or carry in your pocket
- Rechargeable lithium battery
- Secure grip
- Dimmable
- Brightness memory function




Scan for multi language information

YouTube Scan to see these

products in action







RED CODE: SPEXP-XML-CR

YELLOW: SPEXP-XML-CY



	Zoom 500	Zoom 1000
31/2	500	1000
	Up to 285m	Up to 600m
()	1-45hrs	4-50hrs
MODE	Boost/High/Medium/Low/Flashing	
*	4 x AAA alkaline	3.7V 2600mAh (Li-ion)
	N/A	4hrs
1,1,1	IP66	IP66
上	129x38mm ø	141x29mm ø
<u> </u>	172g	169g

from spot to flood

NSZOOM500

status indicator

- Runtime 2.5-16 hours
- Advanced optical focus systems

Features:

- Spot to flood beam
- Type III hard anodised aluminium housing
- Battery status indicator (zoom 1000)
- IKO7 Shock proof
- Ideal for domestic, security and emergency use





Supplied with: Zoom 500: Wrist strap and 4 x AAA alkaline batteries | Zoom 1000: Wrist strap and USB charging cable. Optional Accessories: Zoom 500: Signal cones - Red: SPEX-XML-CR, Yellow: SPEXP-XML-CY, Holster: SPHOLSTER Zoom 1000: AC adaptor UK or EU: CH-USB-UK/EU, Holster: SPHOLSTER, Vehicle charger: CHIC3.7-LION

NSZOOM1000R

UV365

Security UV lights for banknotes and document verfication

- 395nm Wavelength

- Runtime 3.5 hours
- Lightweight + durable design
- Aluminium housing

ULTRA VIOLET



Designed for forensic applications and crime investigation

- Runtime 3 hours
- Lightweight + durable design
- Aluminium housing

ULTRA VIOLET









DETECTING





FORENSIC APPLICATIONS





COUNTERFEIT



COUNTERFEIT DOCUMENTS

12V-24V AC charger, Vehicle charger 2x Rechargeable batteries, USB charging lead, and 2x O-rings

	UV395
WAVELENGTH	395nm
()	3.5hrs
MODE	High
*	2 x CR123A batteries (not supplied)
9,0,0	IP66
	132x33.5mm ø
<u> </u>	113g
CODE	NSUVLED395

HOLSTER: SP-MEGAZOOM-HOLSTER, SP-HOLSTER



- 395nm wavelength
- Lightweight, UV LED torch
- Compact and powerful
- Knurled body for secure grip
- Type III hard anodised aluminium housing
- Tail cap tactical switch
- · Water and shock resistant



Scan for multi language information

UV365 WAVELENGTH 365nm 30m (1) 3hrs MODE High ***** 2 x 18650 Li-ion batteries 4hrs 1,1,1,1 IP65 153x40mm ø 185g CODE **NSUVLED365**

Optional Accessories:

HOLSTER: SP-MEGAZOOM-HOLSTER, SP-HOLSTER USB mains charger: CHCOMM-UV365-USB

Features:

- 365nm wavelength, 1,030,000uW
- Specialised 5W UV LED for wide area ilumination
- Lightweight, UV LED torch
- Compact and powerful
- Knurled body for secure grip
- Type III hard anodised aluminium housing
- Tail cap tactical switch
- · Water and shock resistant



SPHOLSTER SPEXPHOLB



Scan for multi language information

NightSearcher

Forensic Flashlights



New Zoom 1100RX







Zoom Focus Beam

Long Distance Spot Beam То Wide Flood Beam





Spot Beam

Flood beam

Zoom 1100RX - Rechargeable 1100 Up to 300m **(** 2.5-42hrs Boost/High/Medium/Low/Flashing Rear Red + Flashing LLi-ion 3.8V 2850mAh, 108.3Wh 3.5hrs IP66 61x70x63mm 292g NSHTZOOM1100RX

Features:

- 1100 Lumens with 300m beam
- Wide Flood beam + Long distance Spot beam
- Multiple light modes
- Rear red warning lights
- IKO7 Shock proof
- Charging indicator
- Adjustable non slip head straps

Supplied with: USB Charging cable and lithium battery Optional Accessories: Spare battery: BA3.8X2850MAH
Helmet clips: SPPCLIPS AC Adaptor UK or EU: CH-USB-UK/EU 12/24V Vehicle charger: CHIC3.7-LI-ION



Zoom 580

Supplied with 3 x AAA **Alkaline batteries**



Zoom 580R

Supplied with a removable Lithium battery pack





Both models can be used with **AAA batteries or lithium battery pack**





Warm diffused side lights for low level lighting



YouTube Scan to see this product in action



	Zoom 580R - Rechargeable
	Zoom 580 - 3 xAAA Batteries
3115	580
	Up to 150m
()	2.5-18hrs
MODE	Spot to Flood: High/Medium/Low Warm White: Low/Flashing
*	ZOOM 580R: 3.7V 800mAh, 2.96Wh ZOOM580: 3 x AAA Alkaline
	ZOOM 580R: 2.5hrs
1,141	IP64
	62x41x43mm
	95g

NSHTZOOM580/R

- 580 Lumens with 150m beam
- Focus beam: Long distance Spot beam + Wide Flood beam
- Warm White diffused beam for close up work
- 90° beam angle adjustment
- IKO7 Shock proof
- Adjustable non-slip head straps

Supplied with: USB Charging cable and lithium battery (Zoom 580R) 3 x AAA batteries (Zoom 580)

Optional Accessories: Spare battery: BA3.7X800MAH
Helmet clips: SPPCLIPS, AC Adaptor UK or EU: CH-USB-UK/EU 12/24V Vehicle charger: CHIC3.7-LI-ION



	UTDOODY D. L. LI
	HT800RX - Rechargeable
31/2	800
	Up to 550m
()	2.5-169hrs
MODE	Spot + Flood, Flood (Low or High)
	Spot (Low or High)
Li-ion	3.7V 2600mAh, 9.62Wh
	5hrs
,,*	IP66
上	46x85x39mm
<u> </u>	230g
CODE	NSHT800RX

Features:

- Distance sensor
- 180° beam angle adjustment
- Safety Lock: Prevents accidental power loss during storage or transportation
- Light mode memory

850

IP66

219g

Up to 550m

Spot (Low or High)

46x85x39mm

4 x AA Alkaline battery

2.5-50hrs

Adjustable non-slip head straps

Supplied with: USB Charging cable and Lithium battery Optional Accessories: Spare battery: BA18650-USB, Helmet Clips: SPPCLIPS, AC Adaptor UK or EU: CH-USB-UK/EU, 12/24V Vehicle Charger: CHIC3_7-Lithium



31/2

(1)

MODE

*

CODE


Features:

Scan for multi language information

HT800 - 4 X AA Batteries

Spot + Flood, Flood (Low or High)






Rear white lights







Diffused side lights for low level lighting





Optional helmet

clips



Distance Sensor Automatically adjusts from Spot to Flood beam



Flood Spot

Distance Sensor: Automatic spot to flood sensor

• Distance sensor • 180° beam angle adjustment

NSHT800

- Safety Lock: Prevents accidental power
- loss during storage or transportation
- Light mode memory
- Adjustable non-slip head straps

Supplied with: 4 x AA Batteries **Optional Accessory: Helmet clips: SPPCLIPS** Previously known as NSHEADSTAR-PRO



Light Wave Rechargeable, On/Off Wave Sensor with a Wide beam

- 150 Lumens/20m beam
- Runtime 4-8 hours
- Quick 2 hour recharge



- 520 Lumens/140m beam
- Runtime 2-5 hours
- Spot and flood beam



Battery Status Indicator



ON/OFF **Wave Sensor**

2 Ways to turn ON+OFF:

Manual switch or Wave.

Ideal when hands are dirty, wearing gloves, fishing or climbing





ON/OFF **Wave Sensor**

2 Ways to turn ON+OFF:

Manual switch or Wave.

Ideal when hands are dirty, or wearing gloves





Light Wave

160g


NSLIGHTWAVE



YouTube Scan to see these

products in action





Dual beam FLOOD (Wide beam) SPOT (Narrow beam)



150 Up to 20m (1) 4-8hrs MODE High/Low/SOS/Wave Sensor Li-ion 3.7V 2200mAh, 8.14Wh CIII 2rs IP44 79x45x35mm

Features:

- 150 lumens with 20m Wide beam
- 180° beam angle adjustment
- Diffused shadow and glare-free lens
- Battery status indicator
- Quick 2 hours charge time
- Adjustable non-slip head straps

Supplied with: USB charging cable **Optional Accessories: Helmet clips: SPPCLIPS,** AC adaptor UK or EU: CH-USB-UK/EU, 12/24V Vehicle charger: CHIC3.7-LI-ION



Scan for multi language information

Light Wave 520

31/2	520
	Up to 140m
<u>(</u>	2.5-5hrs
MODE	Spot + Flood/Flood/Spot
★ ILi-ion	3.7V 1800Ah, 6.66Wh
	3hrs
****	IP44
上	65x40x47mm
<u> </u>	96g
CODE	NSHTI IGHTWAVE520

- Powerful 520 lumen with 140m beam
- Dimmable on all light modes
- Spot to flood beam
- · Battery status indicator
- · Lightweight only 96g
- Helmet mountable with clips
- Adjustable non-slip head straps

Supplied with: Fast charging USB type C charging cable **Optional Accessories: Helmet clips: SPPCLIPS,** AC Adaptor UK or EU: CH-USB-UK/EU, 12/24V Vehicle charger: CHIC3_7-Lithium



Scan for multi language information

CODE







SIGMA ATEX Head Torch Pro

RoHS














Temp Code: T4 IP67 File Number E324236

ATEX: Ex: | M1 Ex ia | Ma Ex: II 1G Ex ia IIC T4 Ga DEMKO 15 ATEX 1546X



Hybrid technology

Dual beam

Flood (Wide beam)

Spot (Narrow beam)



Flood



Supplied with rechargeable

Lithium-Polymer battery



Spot

HeadStar

Rechargeable with dual beam and hybrid technology

Can be used with **3** x AAA Alkaline batteries (Not included)



- 330 Lumens/130m beam

- Runtime 5-7 hours - Spot + flood beam

- Safety Lock

SIGMA ATEX Head Torch Mini



RoHS









NSSAFA-HTMINI

ZONE 0

Certification and Standards ATEX: Ex: II 1G Ex ia IIC T4 GA **DEMKO 14 ATEX 1354X** IECEx: Mining: Ex ia Ma Gas: Ex ia IIC T4 Ga **IECEX UL 15.0086X** UL: Class I DIV 1&2 Groups A B C D

Class II DIV 1&2 Groups E F G Class III Temp Code: T4 IP67 File Number E324236



Contact us to receive a SAFATEX Catalogue with our full range of ATEX products.

HeadStar 330 \longrightarrow **Up to 130m** (1) 5-7hrs MODE Spot + Flood/Flood/Spot **★** ILi-ion 3.7V 800mAh, 2.96Wh 2.5rs IPX4 59x48x36mm 89g

NSHEADSTAR-R

- 330 lumens with 130m Wide beam
- Safety Lock: Prevents accidental power loss during storage or transportation
- Brightness memory function
- Helmet mountable with clips
- Adjustable non-slip head straps

Supplied with: Rechargeable Lithium-Polymer and USB charging cable and Lithium battery

Spot Beam

Optional Accessories: Spare battery: BA18650-USB, Helmet clips: SPPCLIPS, AC Adaptor UK or EU: CH-USB-UK/EU, 12/24V Vehicle charger: CHIC3.7-LI-ION



Scan for multi language information

	Signia Attex mini	Digina Attex 110
31/2	140	220/100
	Up to 86m	Up 100m
	6hrs	5-12hrs
MODE	High	High/Low
★ •	3 x AAA batteries (not included)	
1,141	IP67	IP67
上	70x60x60mm	80x50x45mm
	110g	143g

NSSAFA-HTPRO

Sigma Atex Mini | Sigma Atex Pro

- Strong ABS housing + durable rubber coating
- ATEX Zone O gas compliant
- Fully adjustable silicone headband
- Safety locking battery compartment
- Gas pressure release valve

Optional Accessories: Helmet clips: SPPCLIPS





Visit our youtube channel to see these product in action

Scan for multi language information

CODE





Built in USB

Removable Light For Charging LED and Washing The Beanie

Simple to recharge



Battery status indicator

Quick and easy to recharge Keeping you warm while being able to see at night!

Two models available Beanie-X or Beanie-B:

	Beanie X	Beanie-B	
31/2	200 150		
	Up to 25m	Up to 14m	
<u> </u>	2.5-10hrs	2-4hrs	
MODE	Beanie X: Wide (High/Medium/Low) Narrow (High/Medium/Low), Red (High/Flashing) Beanie-B: High		
★	Li-ion Li-ion		
	4hrs		
****	IP65		
_	38.5g	21g	
CODE	NSBEANIE-X	NSBEANIE-B	

Features:

- Fully rechargeable through USB port
- Cosy and warm, 100% acrylic
- One size fits all
- Removable light for washing
- Battery charging indicator
- Perfect for hands free illumination
- Ideal for work wear, jogging, cycling, fishing, camping
- + other outdoor activities



Scan for multi language information

Beanie-B 100 lumens



Light Modes: High/Medium/Low

Rechargeable Beanie head torches

Two models available

Beanie-X


High powered beanie head torch, 200 lumens

Now 3 Times Brighter!

Cosy and warm, 100% acrylic

Dual Beam

Flood (Wide beam)
Spot (Narrow beam)





Wide flood beam

4 Light modes



Red light
+ Red flashing light



Narrow spot beam



Optional Accessories SPPULSARMAG

	Pulsar Max Fast Deployment
Waterproof	Up to 1m
Visible from	1 Kilometer
<u> </u>	72hrs
*	3.7V 750mAh 2.77Wh
1,000	IP68
<u></u>	270x70x370mm
	3.2kg
CODE	NSPULSARMAX8-FD

Supplied with: AC Charger and vehicle charger Optional Accessories: Magnetic cone mount: SPPULSARMAG

Features:

- Fast and safe deployment
- Automatic switch on and sequencing
- Automatically switch off when placed back in case
- Rechargeable lithium battery
- 6 Flash modes
- Visible from over 1 Kilometre
- IP68 Waterproof floats in water
- Virtually indestructible, shock resistant plastic housing







Scan to see these products in action

Scan for multi language information



Sequential rechargeable hazard lights - set of 8

- 360° Illumination
- Automatic switch on and sequencing
- Up to 72 hours runtime
- Visible from over 1 Kilometre
- Crushproof Up to 3 tonnes



Set Of 8 4 Stored on each side

Selective Colour:

Lights can be changed from: Blue - Red - Amber + combination of all **3 colour modes**











Crushproof - Up to 3 tonnes











Floats in water

360° Illumination, Visible from over 1 Kilometre

Crush Proof - Up to 3 Tonnes

	Specification
Waterproof	Up to 1m
Visible from	1 Kilometer
•	700mAh 3.7V 2.59Wh
2,000	IP67
	10hrs

Light Modes	Run times
Rotate	9hrs
Quad Flash	9hrs
Single Blink	60hrs
Alternative Blinks	9hrs
SOS Rescue	14hrs
Steady on High	5hrs
Steady on Low	35hrs
2 LED Lights	28hrs
4 LED Lights	18hrs
White Torch mode	8hrs
Sequential (Sequential pulsar Pro)	15hrs

Central white work light

Colour	Millicandela (MCD)
Blue	6,000
Green	11,000
Red	7,000
Yellow	7,500

Features:

- 360° Illumination
- Virtually indestructible
- · Alert oncoming traffic of any emergency
- Shock resistant plastic housing
- Working Temperature -40° to 60°C





YouTube
Scan to see these products in action

Scan for multi language information





Magnetic back



Central white work light Ideal for emergencies such as breakdowns or minor inspection work on your car



Supplied with: Charging base, charging cable, car charger Dimensions: 24x110mm ø
Weight: 200g

Product Code: NSPULSARPRO-R/B/Y/G

Set of 5 Rechargeable Pulsar ProColours: Red, Blue, Yellow or Green

Colours: Red, Blue, Yellow or Green

Supplied with: Charging carry case, mains charger and car charger Dimensions: Pulsar 24x110mm ø, Case: 380x70x370mm Weight: 2.9kg

Product Code: NSPULSARPRO5-R/B/Y/G

Set of 5 Rechargeable Sequential Pulsar Pro

Colours: Red, Blue, Yellow or Green

Supplied with: Charging carry case, mains charger and car charger Dimensions: Pulsar 24x110mm ø, Case: 380x70x370mm Weight: 2.9kg


Product Code: NSPULSARPROSQ-R/B/Y/G

Sequential Pulsar Pro


This sequential version of Pulsar Pro has the advantage of having a simplified sequential flash operating mode with a raised power button inside the case to active the sequence instantly for quick deployment. This provides a 'flow' effect of light as each pod flashes in turn.



Optional Accessories










Crush proof - Up to 3 tonnes





Single Pulsar AAA

3 x AAA Multi Mode Hazard Warning Lights





Crush proof - Up to 1 tonne



Fold away back hanging hook

Magnetic

	Sequential Pulsar Max
Waterproof	Up to 1m
Visible from	1 Kilometer
()	72+hrs
*	3000mAh 3.7V 11.10Wh
****	IP67
	7hrs
<u></u>	380x370x65mm
	2.65kg
CODE	NSPULSARMAXSQ-B

Supplied with: Charging case, mains charger + vehicle charger Optional Accessories: UK or EU Adaptor: CH-USB-UK/EU

Features:

- 360° Illumination
- · Alert oncoming traffic of any emergency
- Floats in water
- Rechargeable lithium battery
- Magnetic back
- Virtually indestructible
- Shock resistant plastic housing
- Working temperature -40° to 60°C
- Pulsars can be charged either as a set within their case or as a single unit



Scan for multi language information

	Pulsar AAA
Waterproof	Up to 1m
Visible from	1 Kilometer
*	3x AAA Alkaline
****	IP67
<u></u>	34x110mm ø
	170g
CODE	NSPULSARAAA-B/G/R/Y
<u>*</u>	3x AAA Alkaline IP67 34x110mm ø 170g

	Pulsar AAA	rigitt modes	Rull tilles
Waterproof	Up to 1m	Rotate	52hrs
Visible from	1 Kilometer	Quad Flash	120hrs
VISIBLE HOILI	1 Kilometer	Single Blink	240hrs
*	3x AAA Alkaline	Alternative Blinks	18hrs
*4*4*	IP67	SOS Rescue	22hrs
	34x110mm ø	Steady on High	10hrs
	170g	Steady on Low	25hrs
CODE	NSPULSARAAA-B/G/R/Y	2 LED Lights	52hrs
		4 LED Lights	25hrs
		White Torch mode	60hrs
Supplied with: 3	x AAA Alkaline batteries		


Colour	Millicandela (MCD)
Blue	6,000
Green	11,000
Red	7,000
Yellow	7,500





HazStar

Rechargeable work light and rear red hazard lights



Magnetic back so they can be placed around a vehicle

Rear red/white lights

	HazStar
31/2	2000
	Up to 15m
()	3-9hrs
MODE	High/Medium/Low
*	L-ion
	5hrs
****	IP65
	255x90x34mm
	956g
CODE	NSHAZSTAR

Supplied with: USB charging cable

Optional Accessories: UK or EU Adaptor: CH-USB-UK/EU 12/24V Vehicle Charger: CHIC3.7-LION

Features:

- Alert oncoming traffic of any emergency
 Front work light with 15m beam and 6 hours runtime
- Rear Red Hazard light with 100m visibility, 9 hours runtime
- Rechargeable Lithium-Ion battery
- IK07 Shock proof





Visit our YouTube channel to see this product in action

Scan for multi language information




Robust edge protection







inging Hook



Pocket Pro

Pocket sized work light and torch







Belt/pocket clip

Adjustable magnetic stand

	- Work ligh	nt + Inspo	ection Torch
			5
			Hanging
9			
	⊗ NightSearc Pocket Pro	ther	

- Pocket Sized

- Rechargeable

- 600 lumens / 25m beam

- Runtime 2.5-6 hours

	Work Light	Torch	
31/2	600	300	
	Up to 25m	Up to 30m	
()	2.5-5hrs	6hrs	
MODE	High	High + Low	
★	3.7V 1400mAh, 5.18Wh		
	2.5hrs		
」	61x35x118mm		
<u> </u>	126g		
CODE	NSPOCKETPRO		

Supplied with: Fast charging USB type C charging cable and AC adaptor Optional Accessories: 12/24V Vehicle charger: CHIC3.7-LION

Features:

- 2 in 1 Work light and inspection torch
- Magnetic base & 180° folding handle
- Fast charging USB type C charging cable
- Conveniently fits In your pocket
- IKO7 Shock proof
- Rechargeable lithium battery
- Battery status + charging indicator
- Resistant to workshop chemicals & solvents





Visit our YouTube channel to see this product in action

language information

Tri Spector
Car professionals set



Flexible light head for versatile inspections

Slim line option with a torch

great for inspecting

difficult to reach areas

3-in-1 Rechargeable inspection kit

Spot to flood flashlight

Magnetic Base

Hanging hook

Battery status

indicator





Supp	lied i	n a pi	rotec	tive	cas

Flexible Light | Flashlight Slim Line/Torch 10-300 600-300/100 Up to 10m Up to 30m (1) 10hrs 3.5-6.5hrs 2.5-3.5/10hrs MODE High High + Low | High + Low/High ***** 3.7V 2600mAh, 9.62Wh 4hrs **IP44** Case: 420x65.5x44.5mm 290g NSTRI-SPECTOR CODE

Supplied with: AC adaptor + charging cable Optional Accessories: Vehicle charger: CHIC3.7-LION

Features:

- Powerful magnetic base
- Hanging hook
- IK07 Shock proof
- Rechargeable Lithium battery
- Battery status + charging indicator
- Resistant to workshop chemicals & solvents





Visit our YouTube channel to see this product in action


Pro-250

Twist and swivel inspection light with charging base

Slimline inspection light that illuminates hard to reach areas



- Ultra slimline design
- 300 lumens
- Runtime 3 hours
- Rechargeable
- Magnetic base





StarBlade

3.7V 2200mAh, 8.14Wh

Supplied with: USB Adaptor + charging cable and DC vehicle charger

Optional Accessories: AC Adaptor EU: CH-USB-UK/EU

300

3hrs

High

4hrs

148g

338x42x6mm

NSSTARBLADE





Wide work light beam



- Twist and swivel base

- 250 lumens

- Runtime 2.5-6 hours

- Rechargeable

- Work light + inspection torch

Hanging Hook



Features:

- · Slim blade design
- Narrow floodlight to illuminate hard to reach areas
- Exceptional clear white light output
- IKO7 Shock proof
- Rechargeable lithium battery
- Battery status + charging indicator
- Resistant to workshop chemicals & solvents





Visit our YouTube channel to see this product in action

Magnetic

Base

Scan for multi language information

	Work Light	Torch	
31/2	250	60	
U	2.5hrs	6hrs	
MODE	High	High	
★	3.7V 2200mAh, 8.14Wh		
	4hrs		
上	196x80mm ø		
	320g		
CODE	NSPRO250/EU		

charging base, Micro USB cable

Twist and swivel base

Features:

- 2 in 1 Work light and inspection torch
- Produces clear white light similar to daylight
- 360° rotation and 180° ratcheting
- Battery status and charging indicators
- Integrated foldable hanging hook
- IKO7 Shock proof
- Anti-slip comfortable grip
- Resilient polycarbonate and ABS construction





Visit our YouTube channel to see this product in action

Supplied with: AC mains charger, 12V + 24V DC, vehicle charger, language information

31/2

(1)

MODE

*

NightSearcher

iSpector Pocket

Rechargeable pocket sized light





- 350 lumens
- Runtime 1.5-5.5 hours
- Rechargeable
- Work light + Inspection Torch





Torch

4.5hrs

High

Optional Accessories: 12/24V Vehicle charger: CHIC3.7-LION

3.7V 1100mAh 4.07Wh

NSI-SPECTORPOCKET

120



Features:

- 2 in 1 Work light and inspection torch
- · Magnetic back and base for hands free use
- Conveniently fits In your pocket
- IKO7 Shock proof
- · Rechargeable lithium battery
- Battery status + charging indicator
- Resistant to workshop chemicals & solvents





Visit our YouTube channel to see this product in action

language information

Dimmable Work Light Torch 50-500 120 <u>(l)</u> 2-16hrs 9.5hrs MODE Dimmable wide beam High * 3.7V 2600mAh 9.62Wh לווו 4hrs 432x65.5x44.5mm 290g NSI-SPECTORFLEX

Work light

Magnetic Base

Supplied with: USB Adaptor (UK) + charging cable Optional Accessories: 12/24V Vehicle charger: CHIC3.7-LION

- Runtime 2-16 hours - Rechargeable

- 360° flexible arm

- 500 lumens

iSpector Flex

Rechargeable 360° flexible arm inspection light

- Work light + Inspection Torch



Features:

Torch

• 2 in 1 Work light and inspection torch

Hanging Hook

- IKO7 Shock proof
- · Rechargeable lithium battery
- Battery status + charging indicator
- Resistant to workshop chemicals & solvents





Visit our YouTube channel to see this product in action

Scan for multi language information

Work Light

350-110

1.5-5.5hrs

High/Low

190x25x35mm

Supplied with: USB charging cable

3hrs

104g

(1)

MODE

Hi vis pocket inspection light, ideal for close up work

- 180° Swivel pocket clip
- 150 lumens
- Runtime 4 hours
- Powered by 3 x AAA batteries
- Wide angled flood beam



Magnetic pocket clip



Supplied in point of sale carton display packs, showcasing 12x PocketStar flashlights

Micro 1000

Rechargeable compact wide area work light

- Compact but powerful
- 1000 lumens
- Runtime 2-4 hours
- Rechargeable
- Ideal light for confined areas



Magnetic Base

	PocketStar PocketStar
31/2	150
<u>(</u>	4hrs
MODE	High
★ I	3 x AAA Alkaline
上	158x76x16.9mm
	54g
CODE	NSPOCKETSTAR

Supplied with: 3 x AAA Alkaline batteries

104

Features:

• Produces clear white light

Rubberised

ABS

yellow casing

- Wide angle beam
- Polycarbonate lens
- Rubberised ABS yellow casing
- Compact, pocket sized
- Anti slip grip handle
- Resilient polycarbonate and ABS construction



► YouTube

Visit our YouTube channel to see this product in action

language information

	MICIO 1000
311/2	1000-500
<u>(</u>	2-4hrs
MODE	High/Low
★ •	3.7V 2600mAh 9.62Wh
	4hrs
1,1,1	IP65
上	78x76x52mm
	220g

Supplied with: USB Charging cable

CODE NSMICRO1000

indicators

Optional Accessories: 12/24V Vehicle charger: CHIC3.7-LION AC Adaptor UK or EU: CH-USB-UK/EU

Features:

- Compact design, fits in the palm of your hand
- Glass lens for 90° degrees
- Aluminium heat sink
- Wide light beam
- Ideal light for compact areas
- Battery overcharge + discharge protection
- Resistant to workshop chemicals & solvents






Visit our YouTube channel to see this product in action

Scan for multi language information **NightSearch**

Small enough for the tool box

Inspection torch







Belt cutter





LifeGuard

5-in-1 light will save your life! Every vehicle should have one!

- Emergency car kit
- Work light + inspection torch
- Window breaker
- Seat belt cutter
- Red flashing emergency lights





YouTube

Visit our YouTube channel to see this product in action

Scan for multi language information


Optional Accessories: Holder, Velcro pocket clip

Work Light









Lightweight lithium Jump starter

Work light - Torch - Emergency light - Power bank



	Work Light	Torch	Emergency Light
31/2	500	300	500
0	4hrs	7.5hrs	75hrs
MODE	High	High	Red Flashing
*•	3.7V 2600mAh, 9.62Wh		
	4hrs		
工	166x96mm		
_	447g		
CODE	NSSTARBOOSTER		

3.0L Petrol

2.0L Diesel

Jump

starts



YouTube
Visit our YouTube channel


to see this product in action

- Portable jump starter

- Work light + inspection torch

Scan for multi language information

Battery status indicators





High Quality Solar Light Solutions



TITAN RANGE









SIGMA RANGE



For more information request our NexSun catalogue



UK

Unit 4, Applied House, Fitzherbert Spur, Farlington, Hampshire, PO6 1TT, UK 023 9238 9774 | sales@nightsearcher.co.uk nightsearcher.co.uk

EUROPE

Garbary 53, 61-869 Poznan, Poland +48 61 624 29 98 | exportsales@nightsearcher.com nightsearcher.com













Our Quality Assurance | Your Peace Of Mind







BSI Membership: 47617579



All new products are designed to minimise our impact on the environment.



NightSearcher continue to produce these products from our UK head office in Portsmouth, UK



Achilles registered certification to ID: 263719